Appendix Table 3. Codes used to identify homelessness

Database	Variable Name	Variable Value
DAD/SDS	INSTTYPE (Institution type)	SH (Supportive Housing)
	DX10CODE1 to DX10CODE25, CMGDIAG (Diagnosis variables)	Z590 (Homelessness), Z591 (Inadequate housing)
	PSTLCODE (Postal Code)	XX (Transient/Homeless) or any uniquely identifying postal codes
OMHRS	PREDX10CODE to PREDX10CODE11, POSTDX10CODE1 to POSTDX10CODE24 (Diagnosis variables)	Z590 (Homelessness), Z591 (Inadequate housing)
	PRIOR_RESIDENCE (Prior residential status) USUAL_RESIDENCE (Usual residential status)	6 (Homeless (with or without shelter)) 8 (Homeless (with or without shelter))
	ADMITFROM (Admitted From)	8 (Homeless (with or without shelter))
	DISCHLIVING (Living arrangement at discharge)	8 (Homeless (with or without shelter))
NACRS	DX10CODE1 to DX10CODE25 (Diagnosis variables)	Z590 (Homelessness), Z591 (Inadequate housing)
	RESTTYPE (Residence type)	3 (Homeless), 4 (Shelter)
	PSTLCODE (Postal Code)	XX (Transient/Homeless) or any uniquely identifying postal code
RPDB	PSTLCODE	Any uniquely identifying postal code