

Appendix 3 (as supplied by the authors): Univariable quantile regression models predicting diagnostic intervals for patients first presenting outside the ER (in days)

		Median	95% CI	p
		difference		
Intercept		61.850	18.33 - 105.37	0.0055
Age	(per 10 years)	-1.063	-7.85 - 5.73	0.7584
Intercept		42.000	34.06 - 49.94	<.0001
Stage	I/II	45.000	30.04 - 59.96	<.0001
	III/IV	(reference)		
	Unknown	12.000	-7.95 - 31.95	0.2377
Intercept		35.000	23.55 - 46.45	<.0001
Morphology	Serous Carcinoma	22.958	4.93 - 40.99	0.0127
	Unclassified Epithelial	(reference)		
	Clear Cell / Endometrioid	49.958	27.53 - 72.38	<.0001
	Mucinous	19.042	-14.10 - 52.18	0.2594
	Other	20.000	-1.93 - 41.93	0.0737
	*other epithelial-stromal, and miscellaneous and unspecified			
Intercept		49.000	39.42 - 58.58	<.0001
Residence	Winnipeg	12.042	-6.70 - 30.78	0.2073
	Non-Winnipeg	(reference)		
Intercept		53.000	46.61 - 59.39	<.0001
Period of diagnosis	2008 and later	15.958	-1.55 - 33.46	0.0738
	2007 and earlier	(reference)		
Income	<i>Contrasts</i>			
	R4-R5 vs R1-R3	11.000	-8.85 - 30.85	0.2767

Appendix to: Love AJ, Lambert P, Turner D, et al. Diagnostic and referral intervals for Manitoba women with epithelial ovarian cancer — the Manitoba Ovarian Cancer Outcomes (MOCO) study group: a retrospective cross-sectional study. *CMAJ Open* 2017. DOI:10.9778/cmajo.20160100. Copyright © 2017 The Author(s) or their employer(s).

To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

	U4-U5 vs U1-U3		-0.958	-33.14 - 31.22	0.9533
*R=rural; U=urban; 1=poorest;5=richest					
Intercept			57.958	48.42 - 67.50	<.0001
Comorbidities	High/Very High		-10.958	-26.94 - 5.03	0.1786
(Resource utilization	Moderate and lower		(reference)		
band)					
Intercept			54.958	47.16 - 62.76	<.0001
Abdominal pain	Yes		1.042	-12.06 - 14.14	0.8759
	No		(reference)		
Intercept			75.958	62.05 - 89.86	<.0001
Abdominal	Yes		-43.000	-60.70 - -	<.0001
distension	No		(reference)	25.30	
Intercept			54.000	48.93 - 59.07	<.0001
Incidental	Yes		29.042	-7.85 - 65.93	0.1225
	No		(reference)		
Intercept			55.042	48.56 - 61.52	<.0001
Bowel symptoms	Yes		-5.042	-32.96 - 22.87	0.7228
	No		(reference)		
Intercept			55.042	48.54 - 61.54	<.0001
Nausea	Yes		-8.042	-36.50 - 20.41	0.5789
	No		(reference)		
Intercept			57.958	50.04 - 65.88	<.0001
Decreased appetite	Yes		-26.958	-46.87 - -7.04	0.0081
	No		(reference)		

Intercept			56.000	48.88 - 63.12	<.0001
Respiratory symptoms	Yes		-14.000	-37.17 - 9.17	0.2356
	No		(reference)		
Intercept			56.000	48.93 - 63.07	<.0001
Weight change	Yes		-13.000	-35.17 - 9.17	0.2497
	No		(reference)		
Intercept			54.958	48.65 - 61.27	<.0001
Urinary symptoms	Yes		4.083	-48.09 - 56.26	0.8778
	No		(reference)		
Intercept			55.000	49.67 - 60.33	<.0001
Abnormal bleeding	Yes		29.958	-29.57 - 89.48	0.3231
	No		(reference)		
Intercept			53.000	47.84 - 58.16	<.0001
Postmenopausal	Yes		74.958	28.17 - 121.64	0.0017
bleeding	No		(reference)		
Intercept			55.000	49.02 - 60.98	<.0001
Palpable mass	Yes		0.000	-34.44 - 34.44	1.0000
	No		(reference)		
Intercept			55.042	47.83 - 62.25	<.0001
Weakness	Yes		-8.042	-34.81 - 18.73	0.5552
	No		(reference)		
Intercept			55.958	48.68 - 63.24	<.0001

Vomiting	Yes		-37.958	-63.47 - - 12.45	0.0036
	No		(reference)		