

Appendix 4 (as supplied by the authors): Univariable quantile regression models predicting referral intervals for patients first presenting in the ER (in days)

		Median	95% CI	p
		difference		
Intercept		13.152	-6.65 - 32.95	0.1915
Age	(per 10 years)	0.389	-2.43 - 3.21	0.7853
Intercept		12.000	8.27 - 15.73	<.0001
Stage	I/II	8.000	-0.65 - 16.65	0.0696
	III/IV	(reference)		
	Unknown	9.000	-4.02 - 22.02	0.1739
Intercept		19.000	14.47 - 23.53	<.0001
Morphology	Serous Carcinoma	-7.000	-13.84 - -0.16	0.0448
	Unclassified Epithelial	(reference)		
	Clear Cell / Endometrioid	2.000	-15.08 - 19.08	0.8174
	Mucinous	-3.000	-24.16 - 18.16	0.7798
	Other	-0.042	-10.07 - 9.98	0.9935
	*other epithelial-stromal, and miscellaneous and unspecified			
Intercept		21.000	11.83 - 30.17	<.0001
Residence	Winnipeg	-6.000	-16.08 - 4.08	0.2413
	Non-Winnipeg	(reference)		
Intercept		13.000	9.04 - 16.96	<.0001
Period of diagnosis	2008 and later	6.000	-0.51 - 12.51	0.0704
	2007 and earlier	(reference)		
Income	<i>Contrasts</i>			
	R4-R5 vs R1-R3	2.958	-21.94 -	0.8148

Appendix to: Love AJ, Lambert P, Turner D, et al. Diagnostic and referral intervals for Manitoba women with epithelial ovarian cancer — the Manitoba Ovarian Cancer Outcomes (MOCO) study group: a retrospective cross-sectional study. *CMAJ Open* 2017. DOI:10.9778/cmajo.20160100. Copyright © 2017 The Author(s) or their employer(s).

To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

				27.86	
	U4-U5 vs U1-U3		-3.000	-11.95 - 5.95	0.5087
*R=rural; U=urban; 1=poorest;5=richest					
Intercept			16.000	11.73 - 20.27	<.0001
Comorbidities	High/Very High		0.000	-7.64 - 7.64	1.0000
(Resource utilization	Moderate and lower		(reference)		
band)					
Intercept			16.000	11.81 - 20.19	<.0001
Abdominal pain	Yes		-1.000	-8.77 - 6.77	0.7996
	No		(reference)		
Intercept			19.000	14.32 - 23.68	<.0001
Abdominal distension	Yes		-7.000	-13.16 - -0.84	0.0262
	No		(reference)		
Intercept			15.000	11.48 - 18.52	<.0001
Incidental	Yes		4.000	-26.34 - 34.34	0.7949
	No		(reference)		
Intercept			16.000	11.89 - 20.11	<.0001
Bowel symptoms	Yes		-4.000	-15.46 - 7.46	0.4916
	No		(reference)		
Intercept			16.000	12.16 - 19.84	<.0001
Nausea	Yes		-6.000	-15.12 - 3.12	0.1957
	No		(reference)		
Intercept			16.000	12.16 - 19.84	<.0001

Decreased appetite	Yes		-7.000	-17.97 - 3.97	0.2095
	No		(reference)		
Intercept			16.000	11.71 - 20.29	<.0001
Respiratory symptoms	Yes		0.000	-7.96 - 7.96	1.0000
	No		(reference)		
Intercept			16.000	12.74 - 19.26	<.0001
Weight change	Yes		-7.000	-28.32 - 14.32	0.5177
	No		(reference)		
Intercept			16.000	12.38 - 19.62	<.0001
Urinary symptoms	Yes		-7.000	-45.92 - 31.92	0.7229
	No		(reference)		
Intercept			-		
Abnormal bleeding	Yes		-		
	No		-		
Intercept			-		
Postmenopausal bleeding	Yes		-		
	No		-		
Intercept			16.000	11.94 - 20.06	<.0001
Palpable mass	Yes		-1.000	-13.76 - 11.76	0.8772
	No		(reference)		
Intercept			16.000	12.84 - 19.16	<.0001
Weakness	Yes		-3.958	-22.65 -	0.6763

				14.74	
	No		(reference)		
Intercept			16.000	12.06 - 19.94	<.0001
Vomiting	Yes		-1.000	-13.32 - 11.32	0.8728
	No		(reference)		