

Reporting Guideline Checklist (supplied by authors). SPIRIT 2013 Checklist: Recommended items to address in a clinical trial protocol and related documents.

Section	Item No.	Description/Recommendation	Reported
Title	1	Descriptive title identifying the study design, population, interventions, and, if applicable, trial acronym	Title
Trial Registration	2a	Trial identifier and registry name. If not yet registered, name of intended registry	Abstract
	2b	All items from the World Health Organization Trial Registration Data Set	In trial registry
Protocol Version	3	Date and version identifier	In trial registry
Funding	4	Sources and types of financial, material, and other support	Funding
Roles and responsibilities	5a	Names, affiliations, and roles of protocol contributors	Title Page
	5b	Name and contact information for the trial sponsor	Title Page
	5c	Role of study sponsor and funders, if any, in study design; collection, management, analysis, and interpretation of data; writing of the report; and the decision to submit the report for publication, including whether they will have ultimate authority over any of these activities	Not Applicable
	5d	Composition, roles, and responsibilities of the coordinating centre, steering committee, endpoint adjudication committee, data management team, and other individuals or groups overseeing the trial, if applicable (see Item 21a for data monitoring committee)	Monitoring & Appendix 8
Introduction			
Background and rationale	6a	Description of research question and justification for undertaking the trial, including summary of relevant studies (published and unpublished) examining benefits and harms for each intervention	Introduction
	6b	Explanation for choice of comparators	Control Arm
Objectives	7	Specific objectives or hypotheses	Introduction
Trial Design	8	Description of trial design including type of trial (eg, parallel group, crossover, factorial, single group), allocation ratio, and framework (eg, superiority, equivalence, noninferiority, exploratory)	Methods-Study design and setting
Methods			
Study Setting	9	Description of study settings (eg, community clinic, academic hospital) and list of countries where data will be collected. Reference to where list of study sites can be obtained	Methods-Study design and setting Appendix 1

Guideline checklist for manuscript entitled “Alberta (AB) Collaborative Quality Improvement Strategies to Improve Outcomes of Preterm Infants 32-26 weeks’ Gestation: A Protocol for the Multi-Centre, Stepped-wedge Cluster Randomized Trial (ABC-QI Trial)”. Original checklist retrieved from GUIDANCE FOR CLINICAL TRIAL PROTOCOLS (spirit-statement.org)

Reporting Guideline Checklist (supplied by authors). SPIRIT 2013 Checklist: Recommended items to address in a clinical trial protocol and related documents.

Eligibility criteria	10	Inclusion and exclusion criteria for participants. If applicable, eligibility criteria for study centres and individuals who will perform the interventions (eg, surgeons, psychotherapists)	Study population
Interventions	11a	Interventions for each group with sufficient detail to allow replication, including how and when they will be administered	Interventions & Appendix 4
	11b	Criteria for discontinuing or modifying allocated interventions for a given trial participant (eg, drug dose change in response to harms, participant request, or improving/worsening disease)	Not applicable
	11c	Strategies to improve adherence to intervention protocols, and any procedures for monitoring adherence (eg, drug tablet return, laboratory tests)	Process measures and intervention fidelity
	11d	Relevant concomitant care and interventions that are permitted or prohibited during the trial	Control Arm
Outcomes	12	Primary, secondary, and other outcomes, including the specific measurement variable (eg, systolic blood pressure), analysis metric (eg, change from baseline, final value, time to event), method of aggregation (eg, median, proportion), and time point for each outcome. Explanation of the clinical relevance of chosen efficacy and harm outcomes is strongly recommended	Outcomes and process measures Appendix 6
Participant Timeline	13	Time schedule of enrolment, interventions (including any run-ins and washouts), assessments, and visits for participants. A schematic diagram is highly recommended (see Figure)	Study design and setting Figure 2
Sample Size	14	Estimated number of participants needed to achieve study objectives and how it was determined, including clinical and statistical assumptions supporting any sample size calculations	Sample size
Recruitment	15	Strategies for achieving adequate participant enrolment to reach target sample size	Study Population
Methods: Assignment of interventions (for controlled trials)			
Allocation: Sequence generation	16a	Method of generating the allocation sequence (eg, computer-generated random numbers), and list of any factors for stratification. To reduce predictability of a random sequence, details of any planned restriction (eg, blocking) should be provided in a separate document that is unavailable to those who enrol participants or assign interventions	Randomization & Appendix 3

Guideline checklist for manuscript entitled “Alberta (AB) Collaborative Quality Improvement Strategies to Improve Outcomes of Preterm Infants 32-26 weeks’ Gestation: A Protocol for the Multi-Centre, Stepped-wedge Cluster Randomized Trial (ABC-QI Trial)”. Original checklist retrieved from GUIDANCE FOR CLINICAL TRIAL PROTOCOLS (spirit-statement.org)

Reporting Guideline Checklist (supplied by authors). SPIRIT 2013 Checklist: Recommended items to address in a clinical trial protocol and related documents.

Allocation: Concealment mechanism	16b	Mechanism of implementing the allocation sequence (eg, central telephone; sequentially numbered, opaque, sealed envelopes), describing any steps to conceal the sequence until interventions are assigned	Study design and setting
Implementation	16c	Who will generate the allocation sequence, who will enrol participants, and who will assign participants to interventions	Study Design and Setting
Blinding (masking)	17a	Who will be blinded after assignment to interventions (eg, trial participants, care providers, outcome assessors, data analysts), and how	Study design and setting
	17b	If blinded, circumstances under which unblinding is permissible, and procedure for revealing a participant’s allocated intervention during the trial	Not applicable
Methods: Data Collection, management, and analysis			
Data collection methods	18a	Plans for assessment and collection of outcome, baseline, and other trial data, including any related processes to promote data quality (eg, duplicate measurements, training of assessors) and a description of study instruments (eg, questionnaires, laboratory tests) along with their reliability and validity, if known. Reference to where data collection forms can be found, if not in the protocol	Outcomes, Data Sources, Appendix 6, Sub-studies within the ABC-QI Trial, Appendix 7
	18b	Plans to promote participant retention and complete follow-up, including list of any outcome data to be collected for participants who discontinue or deviate from intervention protocols	Not applicable
Data management	19	Plans for data entry, coding, security, and storage, including any related processes to promote data quality (eg, double data entry; range checks for data values). Reference to where details of data management procedures can be found, if not in the protocol	Data management
Statistical methods	20a	Statistical methods for analysing primary and secondary outcomes. Reference to where other details of the statistical analysis plan can be found, if not in the protocol	Sample size, Statistical analysis
	20b	Methods for any additional analyses (eg, subgroup and adjusted analyses)	Statistical analysis
	20c	Definition of analysis population relating to protocol non-adherence (eg, as randomised analysis), and any statistical methods to handle missing data (eg, multiple imputation)	Statistical analysis
Methods: Monitoring			
Data monitoring	21a	Composition of data monitoring committee (DMC); summary of its role and reporting structure; statement of whether it is independent from the sponsor and competing interests; and reference to where further details	Monitoring & Appendix 8

Guideline checklist for manuscript entitled “Alberta (AB) Collaborative Quality Improvement Strategies to Improve Outcomes of Preterm Infants 32-26 weeks’ Gestation: A Protocol for the Multi-Centre, Stepped-wedge Cluster Randomized Trial (ABC-QI Trial)”. Original checklist retrieved from GUIDANCE FOR CLINICAL TRIAL PROTOCOLS (spirit-statement.org)

Reporting Guideline Checklist (supplied by authors). SPIRIT 2013 Checklist: Recommended items to address in a clinical trial protocol and related documents.

		about its charter can be found, if not in the protocol. Alternatively, an explanation of why a DMC is not needed	
	21b	Description of any interim analyses and stopping guidelines, including who will have access to these interim results and make the final decision to terminate the trial	Statistical analysis
Harms	22	Plans for collecting, assessing, reporting, and managing solicited and spontaneously reported adverse events and other unintended effects of trial interventions or trial conduct	Not Applicable
Auditing	23	Frequency and procedures for auditing trial conduct, if any, and whether the process will be independent from investigators and the sponsor	Not Applicable
Ethics and dissemination			
Research ethics approval	24	Plans for seeking research ethics committee/institutional review board (REC/IRB) approval	Ethics approval
Protocol Amendments	25	Plans for communicating important protocol modifications (eg, changes to eligibility criteria, outcomes, analyses) to relevant parties (eg, investigators, REC/IRBs, trial participants, trial registries, journals, regulators)	Ethics approval, Trial registry
Consent or assent	26a	Who will obtain informed consent or assent from potential trial participants or authorised surrogates, and how (see Item 32)	Study population, Data management
	26b	Additional consent provisions for collection and use of participant data and biological specimens in ancillary studies, if applicable	Not Applicable
Confidentiality	27	How personal information about potential and enrolled participants will be collected, shared, and maintained in order to protect confidentiality before, during, and after the trial	Data sources, Data management, Data Sharing
Declaration of interests	28	Financial and other competing interests for principal investigators for the overall trial and each study site	Funding
Access to data	29	Statement of who will have access to the final trial dataset, and disclosure of contractual agreements that limit such access for investigators	Data sources, Data management, Data sharing
Ancillary and post-trial care	30	Provisions, if any, for ancillary and post-trial care, and for compensation to those who suffer harm from trial participation	Not Applicable
Dissemination policy	31a	Plans for investigators and sponsor to communicate trial results to participants, healthcare professionals, the public, and other relevant groups (eg, via publication, reporting in results databases, or other data sharing arrangements), including any publication restrictions	Data management, Interpretation, Data sharing.

Guideline checklist for manuscript entitled “Alberta (AB) Collaborative Quality Improvement Strategies to Improve Outcomes of Preterm Infants 32-26 weeks’ Gestation: A Protocol for the Multi-Centre, Stepped-wedge Cluster Randomized Trial (ABC-QI Trial)”. Original checklist retrieved from GUIDANCE FOR CLINICAL TRIAL PROTOCOLS (spirit-statement.org)

Reporting Guideline Checklist (supplied by authors). SPIRIT 2013 Checklist: Recommended items to address in a clinical trial protocol and related documents.

	31b	Authorship eligibility guidelines and any intended use of professional writers	Contributors
	31c	Plans, if any, for granting public access to the full protocol, participant-level dataset, and statistical code	Not Applicable
Appendices			
Informed consent material	32	Model consent form and other related documentation given to participants and authorised surrogates	Ethics Approval
Biological specimens	33	Plans for collection, laboratory evaluation, and storage of biological specimens for genetic or molecular analysis in the current trial and for future use in ancillary studies, if applicable	Not Applicable

Guideline checklist for manuscript entitled “Alberta (AB) Collaborative Quality Improvement Strategies to Improve Outcomes of Preterm Infants 32-26 weeks’ Gestation: A Protocol for the Multi-Centre, Stepped-wedge Cluster Randomized Trial (ABC-QI Trial)”. Original checklist retrieved from GUIDANCE FOR CLINICAL TRIAL PROTOCOLS (spirit-statement.org)