

Appendix 1 (as supplied by the authors): Crude number of patients receiving their first prostate biopsy in Ontario from 1992-2014 stratified by age group and year.

Age group	Year																				Total row	% of cohort in age group			
	1992 (%)	1993 (%)	1994 (%)	1995 (%)	1996 (%)	1997 (%)	1998 (%)	1999 (%)	2000 (%)	2001 (%)	2002 (%)	2003 (%)	2004 (%)	2005 (%)	2006 (%)	2007 (%)	2008 (%)	2009 (%)	2010 (%)	2011 (%)	2012 (%)	2013 (%)	2014 (%)		
40-49	136 (2.2)	168 (2.3)	191 (2.5)	189 (2.8)	200 (2.7)	223 (2.5)	250 (2.9)	248 (2.9)	315 (3.4)	387 (3.5)	372 (3.6)	396 (3.8)	417 (3.8)	520 (4.2)	586 (4.4)	568 (4.1)	599 (4.8)	602 (4.8)	573 (4.7)	550 (4.4)	438 (4.3)	349 (3.8)	286 (3.2)	8563	3.7%
50-59	809 (12.9)	1072 (14.4)	1188 (15.8)	1110 (16.3)	1278 (17.1)	1634 (18.4)	1622 (19.1)	1743 (20.7)	1971 (21.0)	2539 (23.2)	2472 (23.8)	2590 (24.9)	2859 (26.2)	3257 (26.0)	3562 (26.9)	3733 (27.0)	3351 (27.1)	3468 (27.3)	3205 (26.2)	3356 (26.5)	2677 (26.4)	2287 (24.9)	2238 (24.9)	54021	23.4%
60-69	2615 (41.8)	3191 (42.8)	3286 (43.6)	2958 (43.5)	3223 (43.2)	3766 (42.3)	3490 (41.1)	3412 (40.5)	3767 (40.2)	4360 (39.8)	4138 (39.8)	4119 (39.5)	4284 (39.3)	5020 (40.1)	5354 (40.4)	5699 (41.2)	5053 (40.8)	5330 (42.0)	5218 (42.6)	5450 (43.1)	4381 (43.2)	3948 (42.9)	3801 (42.3)	95863	41.5%
70-79	2154 (34.4)	2491 (33.4)	2375 (31.5)	2157 (31.7)	2350 (31.5)	2797 (31.4)	2591 (30.5)	2523 (30.0)	2801 (29.9)	3028 (27.6)	2824 (27.2)	2733 (26.2)	2778 (25.5)	3072 (24.6)	3115 (23.5)	3183 (23.0)	2813 (22.7)	2747 (21.7)	2697 (22.0)	2742 (21.7)	2190 (21.6)	2127 (23.1)	2122 (23.6)	60410	26.1%
80-89	531 (8.5)	516 (6.9)	482 (6.4)	371 (5.5)	400 (5.4)	462 (5.2)	529 (6.2)	467 (5.5)	504 (5.4)	618 (5.6)	577 (5.6)	559 (5.4)	552 (5.1)	626 (5.0)	605 (4.6)	621 (4.5)	552 (4.5)	524 (4.1)	532 (4.4)	529 (4.2)	447 (4.4)	461 (5.0)	508 (5.7)	11973	5.2%
≥90	18 (0.3)	18 (0.2)	19 (0.3)	16 (0.2)	11 (0.2)	15 (0.2)	12 (0.1)	31 (0.4)	20 (0.2)	23 (0.2)	18 (0.2)	19 (0.2)	19 (0.2)	20 (0.2)	33 (0.3)	19 (0.1)	15 (0.1)	13 (0.1)	14 (0.1)	23 (0.2)	16 (0.2)	22 (0.3)	436	0.2%	
Total column	6263	7456	7541	6801	7462	8897	8494	8424	9378	10955	10401	10416	10909	12515	13255	13823	12383	12684	12239	12650	10149	9194	8977	231,266	
% of cohort in year	2.7%	3.2%	3.3%	2.9%	3.2%	3.8%	3.7%	3.6%	4.1%	4.7%	4.5%	4.5%	4.7%	5.4%	5.7%	6.0%	5.4%	5.5%	5.5%	5.5%	4.4%	4.0%	3.9%		

Appendix to: Lavallée LT, Breau RH, Fergusson D, et al. Trends in prostate biopsy in Ontario, 1992–2014: a cohort study. *CMAJ Open* 2016. DOI: 10.9778/cmajo.20160079. Copyright © 2016 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

Note: The proportion of biopsies in each age-group for each year is indicated below the crude number. For example, the left upper most cell indicates 136 patients age 40-49 received a biopsy in 1992 and these represented 2.2% of the biopsies in the year 1992.

The proportion of the overall biopsies for the entire study period performed in each year is indicated in the bottom most row.

The proportion of overall biopsies performed in each age-group for the entire study period is reported in the right-most column.