Appendix 1 (as supplied by the authors): Codes used for cohort definitions and outcomes

Inclusion criteria	Exclusion criteria	Outcomes	
Imaging for low back pain			
OHIP claim for home or	Invalid IKN	At least one OHIP	
office visit to a primary	Age <18 on visit date	claim with feecode	
care physician between	Red flag history up to 5 years prior to back pain visit:	for back imaging	
April 1, 2008-March 31,	OHIP claims with dxcode for the following conditions:	up to 3 months	
2013 with one of the	Prior diagnoses of low back pain: 722, 724, 847	after index visit for	
following diagnostic	Neoplasms: 140-239	low back pain:	
codes as dxcode:	Conditions of the nervous system: 320-359	low back pain.	
722, 724, 847	Arthritis: 714, 715, 716, 730	CT: X415, X416,	
722, 724, 647	Congenital abnormalities: 741-759 Fractures: 805, 806, 829	· · · · · · · · · · · · · · · · · · ·	
	OHIP claims with fee code for visits to the following specialists:	X128	
	Neurosurgery: A043, A044, A045, A046, C042, C043, C044, C045, C046, C047, C048,	MDI 37400 37403	
	C049; office visits to physician with specialty = "04" in IPDB	MRI: X490, X492,	
	Orthopaedic surgery: A063, A064, A065, A066, C062, C063, C064, C065, C066, C067,	X493, X495, X496,	
	C068, C069; office visits to physicians with specialty = "06" in IPDB	X498	
	OHIP claims with fee code for a spine-related scan:		
	Spinal x-ray: X025, X027, X028, X031, X032, X033, X034, X202, X203, X204, X205, X206, X207, CT, X416, X416, X420, X402,		
	X206, X207; CT: X415, X416, X128; MRI: X490, X492, X493, X495, X496, X498; EMG:		
	G455, G456, G457, G458, G459, G465, G466, G467, G469; Other tests on spine fee codes: X057, X058, X080, X081, X164, X173, J006, J011, J020, J030, J038, Z454, G368, G386		
	OHIP claims with fee code for a spine-related operation:		
	E533, E534, E535, E536, E548, E549, E554, E562, E565, E566, E567, E568, E570, E573,		
	E574, E897, E901, E909, E910, E913, E914, E915, E920, E924, E926, E928, E929, F103,		
	F105, F107, M137, N126, N182, N185, N186, N192, N194, N195, N196, N197, N248,		
	N313, N314, N317, N318, N319, N320, N321, N323, N324, N329, N330, N331, N332,		
	N333, N334, N335, N336, N337, N338, N339, N340, N341, R234, R251, R252, R254,		
	R264, R270, R271, R274, R275, R296, R303, R310, R336, R346, R348, R350, R356, R357,		
	R358, R359, R361, R362, R368, R369, R370, R371, R373, R374, R397, R419, R447, R450, R451, R452, R455, R457, R450, R461, R464, R462, R464, R462, R464, R462, R464,		
	R451, R452, R455, R457, R459, R461, R464, R493, R494, R634, R635, R636, S312, Z215, Z219, Z226, Z228, Z236, Z241, Z244, Z662, Z800, Z810, Z817, Z823, Z868		
	Hospital admission with one of the following diagnostic codes in CIHI-DAD:		
	ICD-9 324.1, 334.8, 334.9, 335, 336, 340, 342, 344, 349, 349.81, 350-359, 720-724, 737,		
	738.5, 739.3, 710-742, 805, 806, 839, 847, 950-957		

Appendix to: Pendrith C, Bhatia M, Ivers NM, et al. Frequency of and variation in low-value care in primary care: a retrospective cohort study. *CMAJ Open* 2017. DOI:10.9778/cmajo.20160095.

Copyright © 2017 The Author(s) or their employer(s).

To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

Inclusion criteria	Exclusion criteria	Outcomes	
Cervical cancer screening			
Females aged <21 or	Invalid IKN	At least one OHIP	
>69 years of age	Male sex	claim for cervical	
between April 1, 2008-	Age <13; age >105	cancer screening	
March 31, 2013	Diagnosis of invasive gynaecological cancer prior to index date:	with Pap smear:	
	Entry in OCR with dxcode: 179, 1800, 1801, 1808, 1809, 1820, 1821, 1828, 1820, 1822, 1822, 1824, 1825, 1828, 1820	Feecode: G365,	
	1830, 1832, 1833, 1834, 1835, 1838, 1839 Evidence of hystography prior to index data:	G394, E430, E431 Lab feecode: L812,	
	Evidence of hysterectomy prior to index date: OHIP claim with feecode: S710, S727, S757, S758, S759, S762, S763,	L713, L733	
	S765, S766, S767, S810, S816, P042	L/13, L/33	
	Entry in CIHI-DAD or SDS with CCP code: 79.2, 80.3, 80.4, 80.5, 80.6,		
	80.7, 86.42		
	Entry in CIHI-DAD or SDS with CCI code: 1RM89x, 1RM91x, 1RN89x,		
	5MD60CB, 5MD60KE, 5MD60KF, 5MD60RC, 5MD60RD		
	Entry in ICES HIV database		
	Pregnancy		
Repeat DEXA scans			
OHIP claim for DEXA	Invalid IKN	At least one OHIP	
scan between April 1,	Age <40 or age >105 on date of index scan	claim for DEXA	
2008-March 31, 2013		scan up to 2 years after date of index	
with one of the following feecodes:		scan with feecode:	
X145, X146, X152,		X152, X153, X142	
X153, X142, X148,		X148, X149, X155	
X149, X155		::, ::, 11100	
•	rance Plan; IKN = ICES Key Number; CIHI-DAD = Canadian Institute for Health	Information	
	e; SDS = Same-day Surgery; CCP = Canadian Classification of Diagnostic, Therap		
Procedures; CCI = Canadian	n Classification of Health Interventions; DEXA = dual energy X-ray absorptiometr	У	