Appendix 1 (as supplied by the authors): Supplemental tables

	Cluster 1 n (%)		Clusters 2 and 3 n (%)		Rest of Province n (%)	
Total	926	(,)	1,260	(,)	4,156	(, , ,
Sex						
Female	331	(35.7)	465	(36.9)	1,544	(37.2)
Male	595	(64.3)	795	(63.1)	2,612	(62.8)
Age						
mean (SD)	64.4	(13.6)	68.5	(14.0)	65.4	(13.6)
median [IQR]	63	[74.8- 54]	69	[80-58]	69	[77-55]
Socio-economic proxy						
Non-subsidized Adults	369	(39.8)	382	(30.3)	1,639	(39.4)
Subsidized Adults	118	(12.7)	113	(9.0)	473	(11.4)
Seniors	439	(47.4)	765	(60.7)	2,044	(49.2)
Comorbidity Score (based on ≥2 Physician Claims in Prior 2 Years)						
mean (SD)	1.09	(1.5)	1.21	(1.6)	1.1	(1.5)
median [IQR]	1	[2-0]	1	[2-0]	1	[2-0]
≥2 Physician Claims in Prior 2 Years for						
COPD	167	(18)	209	(16.6)	633	(15.2)
Diabetes	218	(23.5)	269	(21.3)	942	(22.7)
Hypertension	467	(50.4)	689	(54.7)	2,114	(50.9)
Kidney Disease	55	(5.9)	74	(5.9)	248	(6)
ACS	292	(31.5)	439	(34.8)	1,481	(35.6)
HF	108	(11.7)	193	(15.3)	487	(11.7)
Hospitalization in Prior 2 Years	277	(29.9)	477	(37.9)	1,258	(30.3)
ED Presentation for ACS in Prior 2 Years	84	(9.1)	143	(11.3)	375	(9.0)

Supplemental Table S1: Characteristics of acute coronary syndromes (ACS) patients by area.

Appendix to: Rosychuk RJ, Rowe BH, McAlister FA. Geographic clustering of emergency department presentations for acute coronary syndromes and heart failure in Alberta: a population-based study. *CMAJ Open* 2017. DOI:10.9778/cmajo.20160155. Copyright © 2017 The Author(s) or their employer(s).

ED Presentation for HF in	42	(4.5)	55	(4.4)	150	(3.6)
Prior 2 Years						
Number of GP Claims in Prior						
2 Years						
mean (SD)	20.5	(25.7)	22.8	(27.4)	17.2	(22.2)
median [IQR]	12	[26-5]	13	[28.2-5]	13	[21-4]
Specialist Visit in Prior 2	441	(47.6)	641	(50.9)	2,405	(57.9)
Years						
Number of Specialist Claims						
in Prior 2 Years						
mean (SD)	4.8	(12.8)	4.5	(9)	6.7	(13.4)
median [IQR]	0	[4.8-0]	1	[5-0]	1	[8-0]

	Clust			2 and 2	Rest of	
	Cluster 1 n (%)		Clusters 2 and 3 n (%)		Province n (%)	
Total	677	(,,,)	510	(/0)	3,593	(,,,)
Sex						
Female	308	(45.5)	243	(47.6)	1,842	(51.3)
Male	369	(54.5)	267	(52.4)	1,751	(48.7)
Age						
mean (SD)	73.9	(12.9)	79.1	(11.6)	76.7	(12.2)
median [IQR]	75	[84-65]	81	[87-73]	81	[86-69]
Socio-economic proxy						
Non-subsidized Adults	83	(12.3)	47	(9.2)	367	(10.2)
Subsidized Adults	79	(11.7)	14	(2.7)	256	(7.1)
Seniors	515	(76.1)	449	(88.0)	2,970	(82.7)
Comorbidity Score (based on ≥2 Physician Claims in Prior 2 Years)						
mean (SD)	2.3	(1.9)	2.3	(2.0)	2.3	(1.8)
median [IQR]	2	[3-1]	2	[3-1]	2	[3-1]
≥2 Physician Claims in Prior 2 Years for						
COPD	289	(42.7)	172	(33.7)	1,208	(33.6)
Diabetes	248	(36.6)	152	(29.8)	1,220	(34)
Hypertension	406	(60)	334	(65.5)	2,210	(61.5)
Kidney Disease	91	(13.4)	80	(15.7)	619	(17.2)
ACS	245	(36.2)	167	(32.7)	1,158	(32.2)
HF	353	(52.1)	289	(56.7)	1,931	(53.7)
Hospitalization in Prior 2 Years	415	(61.3)	321	(62.9)	2,067	(57.5)
ED Presentation for ACS in Prior 2 Years	64	(9.5)	59	(11.6)	276	(7.7)
ED Presentation for HF in Prior 2 Years	155	(22.9)	105	(20.6)	625	(17.4)

Supplemental Table S2: Characteristics of heart failure (HF) patients by area.

mean (SD)	43.9	(42.5)	41.3	(37.8)	36.8	(39.1)
median [IQR]	31	[60-15]	31	[56.8- 14]	31	[49-11]
Specialist Visit in Prior 2 Years	414	(61.2)	312	(61.2)	2,617	(72.8)
Number of Specialist Claims in Prior 2 Years						
mean (SD)	8.3	(18.3)	6.9	(13.6)	11.8	(19)
median [IQR]	2	[9-0]	2	[7-0]	2	[16-0]