Appendix Table 1 - Canadian Classification of Health Interventions codes for breast and axillary procedures

1YK87LA	Excision partial, nipple using open excisional approach	1YK87	Excision partial, nipple
1YK89LA	Excision total, nipple using open approach	1YK89	Excision total, nipple

Excision Partial Breast

1YL87LA	Excision partial, lactiferous duct using open approach	1YL87	Excision partial, lactiferous duct
1YL89LA	Excision total, lactiferous duct using open approach	1YL89	Excision total, lactiferous duct

1YM87DA	Excision partial, breast using endoscopic approach with simple apposition	1YM87	Excision partial, breast
1YM87GB	Excision partial, breast using endoscopic guide wire (or needle hook) excision technique with simple apposition of tissue	1YM87	Excision partial, breast
1YM87LA	Excision partial, breast using open approach with simple apposition of tissue (e.g. suturing)	1YM87	Excision partial, breast
1YM87UT	Excision partial, breast using open guide wire (or needle hook) excision technique and simple apposition of tissue	1YM87	Excision partial, breast

Excision Total Breast

Excision Radical Breast

1YM91LA	Excision (modified) radical, breast without tissue	1YM91	Excision radical, breast
---------	--	-------	--------------------------

Appendix 1, as supplied by the authors. Appendix to: La J, Alqaydi A, Wei X, et al. Variation in opioid filling after same-day breast surgery in Ontario, Canada: a population-based cohort study. *CMAJ Open* 2023. doi: 10.9778/cmajo.20220055. Copyright © 2023 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

1YM91TR	Excision extended radical, breast without tissue	1YM91	Excision radical, breast
1YM91WP	Excision super radical, breast without tissue	1YM91	Excision radical, breast

Excision partial lymph nodes, axillary

			Excision partial,
			lymph node(s),
1MD87LA	Excision partial, lymph node(s), axillary using open approach	1MD87	axillary

Excision total lymph nodes, axillary

			Excision total, lymph
1MD89LA	Excision total, lymph node(s), axillary using open approach	1MD89	node(s), axillary
	Excision total, lymph node(s), axillary using open approach		Excision total, lymph
1MD89LAXXA	with full thickness graft	1MD89	node(s), axillary
	Excision total, lymph node(s), axillary using open approach		Excision total, lymph
1MD89LAXXE	with local flap	1MD89	node(s), axillary
	Excision total, lymph node(s), axillary using open approach		Excision total, lymph
1MD89LAXXF	with free distant flap	1MD89	node(s), axillary
	Excision total, lymph node(s), axillary using open approach		Excision total, lymph
1MD89LAXXG	with pedicled distant flap	1MD89	node(s), axillary
	Excision total, lymph node(s), axillary using open approach		Excision total, lymph
1MD89LAXXN	with synthetic tissue	1MD89	node(s), axillary

Biopsy axillary lymph nodes

	Biopsy, axillary lymph nodes using percutaneous (needle)		Biopsy, axillary
2MD71HA	approach	2MD71	lymph nodes
			Biopsy, axillary
2MD71LA	Biopsy, axillary lymph nodes using open approach	2MD71	lymph nodes

Appendix 1, as supplied by the authors. Appendix to: La J, Alqaydi A, Wei X, et al. Variation in opioid filling after same-day breast surgery in Ontario, Canada: a population-based cohort study. CMAJ Open 2023. doi: 10.9778/cmajo.20220055. Copyright © 2023 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

Appendix 1, as supplied by the authors. Appendix to: La J, Alqaydi A, Wei X, et al. Variation in opioid filling after same-day breast surgery in Ontario, Canada: a population-based cohort study. CMAJ Open 2023. doi: 10.9778/cmajo.20220055. Copyright © 2023 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.