# **Appendix 1: Supplementary Tables and Figures**

## Table S1

Changes in Admission Status and Diagnoses during Pre-restrictions, Restrictions and Post-restrictions

	Pre-restrictions	Restrictions	Post-restrictions	Time difference tests	
	(N=4425)	(N=1291)	(N=4132)		
	N (%)	N (%)	N (%)	X <sup>2</sup>	р
Inpatient Status				48.2	<.001
Involuntary	2164 (48.9) <sup>a</sup>	745 (57.7) <sup>b</sup>	2277 (55.1) <sup>b</sup>		
Voluntary	2261 (51.1) <sup>a</sup>	546 (42.3) <sup>b</sup>	1855 (44.9) <sup>b</sup>		
Diagnosis <sup>t</sup>				58.7	<.001
Psychotic D/O	1381 (31.2) <sup>a</sup>	502 (38.9) <sup>b</sup>	1454 (35.2) <sup>c</sup>		
Substance Use D/O	984 (22.2) <sup>a</sup>	265 (20.6) <sup>a,b</sup>	812 (19.7) <sup>b</sup>		
Mood and Anxiety D/O	1545 (34.9) <sup>a</sup>	396 (30.7) <sup>b</sup>	1415 (34.2) <sup>a,b</sup>		
Neurocognitive D/O	298 (6.7) <sup>a</sup>	62 (4.8) <sup>b</sup>	212 (5.1) <sup>b</sup>		
Personality D/O	93 (2.1) <sup>a</sup>	37 (2.9) <sup>a,b</sup>	126 (3.0) <sup>b</sup>		
Neurodevelopmental D/O	78 (1.8) <sup>a</sup>	13 (1.0) <sup>a</sup>	78 (1.9) <sup>a</sup>		
Other	46 (1.0) <sup>a</sup>	14 (1.1) <sup>a</sup>	35 (0.8) <sup>a</sup>		


Note: Column proportions in a row not sharing superscripts are significantly different from one another. <sup>1</sup>2 patients did not have psychiatric diagnosis.

## Table S2

	Pre- restrictions (N=4425)	Restrictions (N=1291)	Post- restrictions (N=4132)	Time differenc	e tests
	M (SD)	M (SD)	M (SD)	F (2, 9203)	р
Clinical Rating					
Scales					
Violence Sum	2.3 (3.7) <sup>a</sup>	2.7 (3.8) <sup>b</sup>	2.4 (3.8) <sup>a</sup>	6.5	.001
Aggressive	1.6 (2.8) <sup>a</sup>	1.8 (2.9) <sup>a</sup>	1.7 (2.9) <sup>a</sup>	2.3	.105
Behaviour Scale					
Depression	3.2 (3.5) <sup>a</sup>	2.7 (3.4) <sup>b</sup>	2.9 (3.5) <sup>b</sup>	9.2	<.001
Severity Index					
Positive Symptoms	3.5 (4.6) <sup>a</sup>	4.4 (5.2) <sup>b</sup>	3.7 (4.6) <sup>a</sup>	18.3	<.001
Scale–Long					
Version					
Social Withdrawal	4.8 (5.1) <sup>a</sup>	4.0 (4.7) <sup>b</sup>	4.2 (4.9) <sup>b</sup>	23.9	<.001
Scale					
Cognitive	0.7 (1.3) <sup>a</sup>	0.7 (1.2) <sup>a</sup>	0.7 (1.2) <sup>a</sup>	0.5	.609
Performance Scale					


Changes in Clinical Presentation	during Pre-restrictions,	Restrictions and Post-restrictions
----------------------------------	--------------------------	------------------------------------


Note: Means in a row not sharing superscripts are significantly different from one another.



Weekly Admissions during Weeks 1 through 14 for Years 2019, 2020, 2021


Weekly Admissions during Weeks 15 through 25 for Years 2019, 2020, and 2021, Encompassing Prerestrictions, Restrictions and Post-restrictions






Weekly Admissions during Weeks 26 through 52 for Years 2019, 2020, and 2021

Mean Z-scores for Violence Sum Scale with 95% Confidence Intervals by Months and Years, Admissions for March, April, May and June 2019, 2020, and 2021




Mean Z-scores for Aggressive Behaviour Scale with 95% Confidence Intervals by Months and Years, Admissions for March, April, May and June 2019, 2020, and 2021




Error Bars: 95% Cl


Mean Z-scores for Positive Symptoms Scale–Long Version with 95% Confidence Intervals by Months and Years, Admissions for March, April, May and June 2019, 2020, and 2021



Mean Z-scores for Social Withdrawal Scale with 95% Confidence Intervals by Months and Years, Admissions for March, April, May and June 2019, 2020, and 2021



Mean Z-scores for Cognitive Performance Scale with 95% Confidence Intervals by Months and Years, Admissions for March, April, May and June 2019, 2020, and 2021



Mean Z-scores for Depression Severity Scale with 95% Confidence Intervals by Months and Years, Admissions for March, April, May and June 2019, 2020, and 2021

